



# UPGRADE & AUTOMATE

Magna 2910 Automatic

## UPGRADE & AUTOMATE YOUR DRYING CAPACITY

### Keep pace with modern farming technology

and stay one step ahead of the curve and the weather with an OPICO dryer!

- **Up to 48 ton holding capacity** - dryers from 9 - 48 ton
- **High throughput** - larger drying chamber/plenum for faster, more efficient drying
- **Fully automated** - get on with establishing next year's crop or even sleep whilst you dry!
- **Text messaging technology** - dryer status alerts
- **High capacity loading and unloading augers** - minimise loading and unloading time
- **Easy to install and relocate when necessary** - as requirements change
- **Galvanised and stainless steel components** - longevity and higher residual value
- **Duax heat core at the heart of the Magna range** - clean economical drying
- **Improved grain sample** - maximise the value of your crop
- **2 year warranty** - peace of mind



250 trained dealer technical support staff around the UK



#InsistOnTheBrick



# THE COMPLETE OPICO DRYER RANGE

CHOOSE AN OPICO DRYER FOR:  
**clean, efficient, high throughput drying**  
**and unrivalled local dealer support.**

## magna

**Diesel fired**



## GT

**Gas fired**



SIZE	Magna 120Eco	Magna 1200	Magna 1200 AUTO	Magna 2000	Magna 2000 AUTO	Magna 2910	Magna 2910 AUTO	Magna 3810	Magna 3810 AUTO	Magna 4810	Magna 4810 AUTO	GT 395QF	GT 575QF	GT 595QF	GT 600QF AUTO	GT 795QF	GT 800QF AUTO	GT RAB8000 AUTO
<b>HOLDING CAPACITY</b>	12ton (15.2m³)	12ton (16m³)	12ton (16m³)	20ton (27m³)	20ton (27m³)	29ton (37m³)	29ton (37m³)	38ton (49m³)	38ton (49m³)	48ton (63m³)	48ton (63m³)	9ton (12.3m³)	12ton (17.5m³)	12ton (17.5m³)	12ton (17.5m³)	18ton (22.6m³)	18ton (22.6m³)	21ton (28.9m³)
<b>PLENUM SIZE</b>	7m³	8m³	8m³	12m³	12m³	16m³	16m³	24m³	24m³	24m³	24m³	7m³	12m³	12m³	12m³	13m³	13m³	13m³
<b>DRYING CAPACITY*</b>	5 t/hr	6 t/hr	6 t/hr	10 t/hr	10 t/hr	14 t/hr	14 t/hr	16 t/hr	16 t/hr	20 t/hr	20 t/hr	4.5 t/hr	6 t/hr	6 t/hr	6 t/hr	7 t/hr	7 t/hr	7.5 t/hr
<b>WORKING HEIGHT (Min/Max)</b>	4.5m	5.1m - 6.2m	5.4m - 6.2m	5.9m - 6.9m	5.9m - 6.9m	7.5m - 7.8m	6.2m - 7.4m	7.6m - 8.8m	7.6m - 8.8m	8.7m - 9.8m	8.7m - 9.8m	4.7m - 6m	4.7m - 6m	4.7m - 6m	4.7m - 5.3m	5.5m - 6.1m	5.5m - 6.1m	6.1m - 6.7m
<b>DUAX HEAT CORE</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
<b>CONTROL SYSTEM</b>	Push Button	Push Button	Touch Screen	Push Button	Touch Screen	Push Button	Touch Screen	Push Button	Touch Screen	Push Button	Touch Screen	Grain Guard	Push Button	Grain Guard	Grain Guard	Grain Guard	Grain Guard	Grain Guard
<b>POWER / DRIVE</b>	PTO	PTO or Electric	3-Phase Electric	PTO or Electric	3-Phase Electric	PTO or Electric	3-Phase Electric	PTO or Electric	3-Phase Electric	PTO or Electric	3-Phase Electric	PTO or Electric	PTO or Electric	PTO or Electric	3-Phase Electric	PTO or Electric	3-Phase Electric	3-Phase Electric
<b>HP REQUIREMENT</b>	50hp	54hp or 80amp	80amp	75hp or 100amp	100amp	100hp or 140amp	140amp	150hp or 160amp	160amp	160hp or 180amp	180amp	40hp or 63amp	40hp or 63amp	40hp or 63amp	63amp	40hp or 63amp	63amp	63amp
<b>LOW LEVEL BURNER</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
<b>CENTRIFUGAL QUIET FAN</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>GRAVITY GRAIN CLEANER</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>LOADING / UNLOADING</b>																		
<b>LOADING SPEED</b>	50 t/hr (12 min)	50 t/hr (12 min)	50 t/hr (12 min)	100 t/hr (12 min)	100 t/hr (12 min)	120 t/hr (15 min)	120 t/hr (15 min)	120 t/hr (20 min)	120 t/hr (20 min)	120 t/hr (25 min)	120 t/hr (25 min)	50 t/hr (12min)	50 t/hr (14min)	50 t/hr (14min)	50 t/hr (14min)	50 t/hr (20min)	50 t/hr (20min)	50 t/hr (25min)
<b>SWIVEL GRAVITY</b>	-	-	-	-	-	Option	-	-	-	-	-	Option	Option	Option	-	-	-	-
<b>TWIN GUILLOTINE</b>	✓	Option	-	Option	-	Option	-	-	-	-	-	-	-	-	-	-	-	-
<b>SINGLE HORIZONTAL</b>	-	Option	Option	Option	Option	Option	Option	-	-	-	-	Option	Option	Option	Option	Option	Option	Option
<b>TWIN HORIZONTAL</b>	-	Option	Option	Option	Option	Option	Option	✓	✓	✓	✓	Option	Option	Option	Option	Option	Option	Option
<b>SKY VAC</b>	-	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option

\* Throughput per hour assumed moisture reduction 21% to 16%. Includes loading, heating, cooling and unloading time.

### ✓ OPTIONS & FEATURES

Many options and features are available for OPICO dryers. (Magna & GT)



PTO drive



3 phase electric drive



Swivel gravity to either side



Gravity to both sides



Single: hydraulic or electric horizontal auger to either side



Twin: electric horizontal auger to both sides



Customised unloading



Gravity grain cleaner



Sky Vac



Centrifugal fan



Standard hopper



Customised loading



Manual (push button)



Automated (touch screen)



“ OPICO dryers can fill themselves from their reception hopper at between ¾ and 2 tons per minute. ”



## OPICO GRAIN DRYER RANGE

- ✓ Adaptable and easy to install in any situation
- ✓ Recirculation for consistent grain quality
- ✓ Large drying zones improve hourly throughput
- ✓ Grain cleaner improves hectolitre weight
- ✓ Simple control systems for precise drying
- ✓ No.1 for in-season service and parts back up
- ✓ Fuel efficient

## ✓ BESPOKE DESIGN

OPICO Territory Managers are very knowledgeable and have many years of experience in siting and selling recirculating batch dryers.

We work with local dealers to advise on any grain drying project, whether new build or incorporating an existing grain storage shed.

We can provide bespoke specifications of the dryer to fit with on farm requirements and engage with ancillary equipment suppliers as necessary.

## ✓ SUPPORT YOU CAN DEPEND ON

No-one knows more about grain drying than OPICO. We've been helping farmers to reduce their drying costs and maximise the return from their harvests for more than 50 years.

Our dealer staff know OPICO grain dryers inside-out and are fully trained to ensure a high standard of customer service. All OPICO grain dryers are also backed by first-class technical support and a highly responsive parts supply service.

### 1 North, West, Central & Eastern Scotland

**ALAN WATT**  
07860 729659  
alan.watt@opico.co.uk

### 2 Northern England, Borders & Southern Scotland

**COLIN GRIGOR**  
07535 266365  
colin.grigor@opico.co.uk

### 3 Nottinghamshire, Yorkshire & Lincolnshire

**MIKE BURLEY**  
07971 484408  
mike.burley@opico.co.uk

### 4 West Midlands & Wales


**NICK RIDER**  
07836 274560  
nick.rider@opico.co.uk

### 5 East Anglia, Leicestershire & Northants

**GLENN BOOTMAN**  
07860 335297  
glenn.bootman@opico.co.uk

### 6 Southern England

**RICHARD AMPHLET**  
07538 938155  
richard.amphlet@opico.co.uk



*Profit from our knowledge*

YOUR LOCAL OPICO DEALER

### OPICO Ltd

Cherry Holt Road, Bourne,  
Lincolnshire PE10 9LA.

01778 421111  
ask@opico.co.uk  
www.opico.co.uk  
@opicoag

