



SPARE PARTS MANUAL


**MAGNA 2910
PTO**

Update: July 2026

SUMMARY

1.	FRAME.....	3
2.	METAL SHEETS FOR BOTTOM CONE.....	5
3.	PLENUM	6
4.	CYLINDER WITH EXTENSION H=1370	7
5.	HOPPER AND LOADING AUGER	9
6.	LOADING AUGER AND TRANSMISSION	11
7.	FAN UNIT.....	13
8.	AGITATOR AND TRANSMISSION	17
9.	CENTRAL AUGER AND TRANSMISSION	21
10.	HEAT UNIT.....	23
11.	EJECT CLEANER, GRAIN SAMPLER, SENSOR BEARER	25
12.	INNER CENTRAL TUBE	27
13.	SWIVEL DISCHARGE	29
14.	DUST EXTRACTION FAN ASSEMBLY LAYOUT	31
15.	ELECTRICAL DISCHARGE AUGER UNILATERAL.....	33
16.	ELECTRICAL DISCHARGE AUGER BILATERAL	35
17.	GEARBOX T-22A 9.262.214.10	37
18.	RIELLO BURNER PRESS 4G bio – 46200007	39
19.	DIESEL TANK.....	41
20.	PIPING DIAGRAM FOR OIL BURNERS RIELLO 3G AND 4G	43


1. FRAME



FRAME – TABLE


Pos	Code	Q.ty	Description
1	60220006	1	reinforcement transversal bar
2	60220008	2	axle support
3	12220019	2	lower reinforcement plate for frame
4	60400034	2	axle plaques
5	50700225	4	wheel complete
5.1		4	wheel stud
5.2		4	tyre
6	60400033	2	axle reinforcement
7	60403010	1	lower support for winch system
8	38100002	1	swivel hitch drawbar
9	60400012	1	drawbar jack (anterior)
10	28000080	2	pulley d.80
11	38500203	8	Frame jack
12	38060002	2	Level bubble
13	60409004	1	loading auger support
14	60400014	2	internal beam
15	38060001	5	top link pins with chain and pin

2. METAL SHEETS FOR BOTTOM CONE




Pos	Code	Q.ty	Description
1	13401001	11	Blank sheet
2	14401002	10	Perforated sheet
3	13401003	1	Blank sheet
4	13401004	1	Blank sheet
5	14401005	1	Perforated sheet
6	13401013	1	Door protection
7	13251166	1	Door

3. PLENUM



PLENUM - TABLE


Pos	Code	Q.ty	Description
1	14404003	8	Perforated sheet
2	14404002	1	Perforated sheet H=1000
3	14404001	1	Perforated sheet H=625
4	12404007	14	Reinforcement plate
5	60404005	14	Inner tie rod
6	60404003	8	Tie rod
7	60404012	9	Lowered tie rod support
8	60064003	4	Tie rod support
9	60404013	5	Intermediate tie rod

4. CYLINDER WITH EXTENSION H=1370

CYLINDER WITH EXTENSION H=1370 - TABLE

Pos.	Code	Q.ty	Description
1	12403024	4	Inner strengthener
2	12403025	6	Oblique inner strengthener L=1720
	12403034	2	Oblique inner strengthener L=1400
3	18130001	12	Rope clamp
4.1	38000600	2	Steel Rope d=5mm L=6000
4.2	38000850	2	Steel Rope d=5mm L=8500
5	28000080	6	Pulley
6	60223003	1	Winding tube COMPLETE
6.1	54223001	1	Winding tube SHAFT
7	42850149	1	Reduction gear RI 85 F1
8	60253012	1	Handle
9	60403013	4	Extension guide blade L=1335
10	38060001	5	top link pins with chain and pin
11	60103007	4	Extension guide tube L=2000
12	60103008	4	Guide
13	60403015	4	Tube guide profile L=1500
14	60402001	1	Divided panels (front panel)
	60402003	3	Divided panels
14.1	12402006	3	Perforated metal sheet for panel H=1250 L=3070
	12402005	2	Perforated metal sheet for panel H=1250 L=1300
14.2	12402005	4	Perforated metal sheet for panel H=1250 L=3070
15	60403012	1	Cylinder extension H=1370
15.1	14403002	2	Perforated metal sheet for extension H=1250 L=6175
16	60406029	1	Ladder, outer top, fixed to the extension
16.1	60103100	1	Ladder protection
16.1.1	13110100	5	Ladder hoops
16.1.2	13100102	3	Ladder, hoop connecting bars L=1980
17	60406002	1	Ladder, outer bottom, fixed
17.1	13066026	1	Safety ladder protection plate
18	60406024	1	Ladder, inner, mobile
19	60350074	1	Ladder, outer bottom, mobile
20	-	-	-
21	60126015	1	Support for intermediate sensor
22	34500002	1	Empty dryer sensor (Pizzato FR555)


5. HOPPER AND LOADING AUGER



HOPPER AND LOADING AUGER - TABLE

Pos	Code	Q.ty	Description
1	60409001	1	Loading Hopper COMPLETE (with loading auger)
1.1	60409012	1	Protection grid
1.2	52201552	2	Loading adjuster
1.3	52400010	1	Grain divider
1.4	60409011	4	Support for grain divider
1.5	60409013	1	Mobile loading auger D.300
1.6	23020208	2	Support UCFL 208
1.7	60400028	2	Little jack
1.8	60129202	2	Little jack support
2	60129226	1	Pulley support for loading hopper
3	28000080	2	Pulley
4	60129228	1	Pulley support, pivoting
5	60129229	1	Rope connection
6	18130001	1	Clamp, steel rope
7	38000502	1	Rope, L=13500 d= 5mm
8	38300450	1	Winch
9	60409010	1	Support for the big hopper
10	60409006	1	Rope kit fixing, for big hopper
10.1	60129229	1	Rope connection SX
10.2	18130001	2	Rope clamp
10.3	07409001	1	Rubber hose, for the supporting rope
10.4	38001700	1	supporting rope
10.5	60179008	1	Locking pin for the rope
10.6	60129225	1	Rope connection DX
10.7	18600003	1	Pin "R" Ø 3
11	60226013	1	Fixed tube COMPLETE (without loading auger D.300)
12	60401010	1	Case
12.1	13221001	1	Door case
13	23020208	2	Support UCFL 208
14	60120011	1	Support for protection cover (cardan head)
15	40000200	1	Protection cover for cardan head


6. LOADING AUGER AND TRANSMISSION



LOADING AUGER AND TRANSMISSION - TABLE

Pos	Code	Q.ty	Description
1	23020208	2	Bearing support UCFL 208
2	60409013	1	Mobile auger
3	60350044	1	Fixed auger
4	54069019	1	Splined shaft, intake auger stub
5	40051300	1	Cardan shaft B5x1300 A60-A60
6	22010080	2	Seeger circlip D.80
7	24006208	2	Bearing 6208 2RS
8	54208252	1	Shaft, intake auger drive
9	54208251	1	Support
10	28140400 + 28503535	1	Pulley 4-SPB-400 + taper bush 3535 d.40
11	28140250 + 28513020	1	Pulley 4-SPB-250 + taper bush 3020 d.50
12	26031950	4	Belt SPB 1950
13	18500010	1	Washer for M10
14	16500001	1	Handwheel M10
15	52068008	1	Adjusting Rod

7. FAN UNIT




FAN UNIT - TABLE

Pos	Code	Q.ty	Description
1	13177269	1	Fireguard cover AISI
2	60177269	1	Fan shaft fireguard support
3.1	23030211	1	UKP 211 support + H 2311 d.50
3.2	23040211	1	UKP 211 support + H 2311 d.50 high temperature
4	32010902	1	Mouthpiece
5	60177265	1	Fan shaft fireguard
6	32010901	1	Fan
7	32010903	1	Fan body
8	44000012 44000015	1	Generator 10 Kva - SWIVEL DISCHARGE Generator 13,5 Kva - ELECTRIC DISCHARGE
9#	28020100	1	Pulley SPA- 2-100 – (Generator 10 Kva)
	+ 28501610		+ taper bush 1610 d.24 (Generator 10 Kva)
	28040100	1	Pulley SPA- 4-100 – (Generator 13,5 Kva)
	+ 28521615		+ taper bush 1615 d.28 (Generator 13,5 Kva)
10	26012000	2	Belt SPA L=2000 (Generator 10 Kva)
	26012082	4	Belt SPA L=2082 (Generator 13,5 Kva)
11	28140170	1	Pulley fan SPB-170-4
	+ 28522517	1	+ taper bush 2517 d.50
11.1	28020212+	1	Pulley generator SPA-212-2
	28522517	1	+ taper bush 2517 d.50
12	60178026	1	Lever
13	18500010	1	Washer for M10
14	16500001	1	Handwheel M10
15	52258035	1	Adjusting rod

#: for every single machine, one of the two pulleys (SPA-100-2 or SPA-106-2) is chosen, to compensate the speed error of the generator. In case of replacement, it must be detected the model of pulley installed in the machine. (If the model name is not readable, please measure the diameter of the pulley.)


(to be continued)

FAN UNIT (continued)

FAN UNIT – TABLE (continued)

Pos	Code	Q.ty	Description
16	12408014	1	Lever arm
17	26033450	4	Belt SPB 3450
18	60068010	1	Belt tightener pulley (complete)
18.1	18012013	1	Bolt M20 x 130
18.2	24006206	2	Bearing 6206 2RS
18.3	54068011	1	Pulley SPB-105-4
18.4	54068012	1	Spacer custom-made
19	28140560 +28513535	1	Pulley SPB-560-4 + taper bush 3535 d.50
20	60408008	1	Belt tightener lever
21	12278001	1	Support for lever l/h side
22	12278002	1	Support for lever r/h side
23	54178020	1	Fan shaft
24	24550011	1	Locking washer MB11 – m55
25	24500011	1	Lock nut KM11 - m55
26	20160130	1	Parallel key 16x10 L=130
27	20140150	1	Parallel key 14x9 L=150

8. AGITATOR AND TRANSMISSION




AGITATOR AND TRANSMISSION - TABLE

Pos	Code	Q.ty	Description
1	55255021	1	Ring to guide race ring
2	60405001	1	Outer central tube
3	60255010	1	Race ring
4	60065150	3	Roller complete
4.1	18100020	1	Nut M20
4.2	54065153	1	Roller
4.3	54065151	2	Spacer, external
4.4	22010052	3	Seeger circlip D.52
4.5	22100030	2	Oil seal 30-52-7
4.6	24030304	2	Bearing 30304
4.7	54065152	1	Spacer, internal
4.8	18002013	1	Bolt M20x130
4.9	22600801	1	Lubrication point M8x1
5	54255212	4	Feet
6	60255001	1	Chain tightener support complete
6.1	60255002	1	Threaded bar M16 L=350
6.2	60350052	1	Spring cover
6.3	17000640	2	Spring
6.4	12351116	1	Mobile square tube
6.5	54258267	1	Little shaft
6.6	54258266	1	Pinion Z12 – double
6.7	24006304	2	Bearing 6304 2RS
6.8	12351124	1	Spacer custom-made
6.9	22010052	1	Seeger circlip D.52
6.10	18100020	1	Nut M20
6.11	60205001	1	Tubular support

(to be continued)


AGITATOR AND TRANSMISSION (continued)



AGITATOR AND TRANSMISSION – TABLE (continued)

Pos	Code	Q.ty	Description
7	54270022	1	Agitator shaft
8	54270007	1	Pinion Z12 1" double
9	23010210	1	Support UCP 210
9.1	60258435	1	Pinion cover
10	42110149	1	Worm gearbox RI 110 F2 1/49
11	26020057	2	Belt B 57
12	28120125 + 28512012	1	Pulley SPB-125-2 + taper bush 2012 d.50
13	18100016	1	Nut M16
14	24006203	2	Bearing 6203 2RS
15	12408010	1	Spacer custom-made L=32
16	54228001	1	Pulley tightener SPB-100-2
17	60408004	11	Support for tightener
18	18001610	1	Bolt M16 x 100
19	17010000	2	Springs
20	60255600	1	Agitator arm
21	26500002	1	Chain 1" double
	26700002	1	Joint for chain 1" double
	26600002	1	False link for chain 1" double
22	28120250 + 28502517	1	Pulley SPB-250-2 taper bush 2517 d.28


9. CENTRAL AUGER AND TRANSMISSION



CENTRAL AUGER AND TRANSMISSION - TABLE


Pos	Code	Q.ty	Description
1	23030211	2	UKP 211 support
2	54258030	1	Main shaft 1"3/4-1"3/4
3	40061401	1	Cardan shaft B6x1400 A60-A64
4	42040004	1	Gearbox T-22A 9.262.214.10
5	60255400	1	Gearbox flange
6	60255450	1	Male dragger joint
7.1	60405010	1	Lower section central auger
7.2	60405016 60405018 -	1	Upper central auger (without dust extractor) L=1735 Upper central auger (dust extractor) L=2310 Upper central auger (swivel discharge) - <i>see other table</i>
8	60255500	1	Dragger complete
8.1	54255502	1	Support with spacers
8.2	52065504	1	Washer
8.3	22100040	1	Oil seal 40-80-10
8.4	24006208	2	Bearing 6208 2RS
8.5	22010080	1	Seeger circlip D.80
8.6	18501648	1	Washer
8.7	18001630	1	Bolt M16 x 30
8.8	52065501	1	Lid
9	40081401	1	Cardan shaft B8x1400 A60-A64
9.1		1 1	Yoke, A60 Yoke, A64
9.2		1 1	UJ cross shaft kit UJ cross shaft kit
10	40000240	1	protection cover for cardan head


10. HEAT UNIT



HEAT UNIT - TABLE

Pos	Code	Q.ty	Description
1	52177259	1	Box gripping – burner side
2	60227013	1	Furnace Complete (cover + body) RL900 long version
2.1	60177320	1	Furnace lid (cover)
2.2	60227015	1	Furnace body with support frame
2.2.1	09700610	68	Refractory bricks
2.2.2	13067353	1	Furnace bottom, stainless steel
2.2.3	13177024	2	Furnace mouth (2 pieces)
	13177026	1	Furnace mouth (welded in the upper part of the mouth)
2.2.4	60177301	1	Support frame (welded to the body of the furnace)
3	60227016	1	Case body L=2200
4	60177255	1	Case door
5	09030000	2	Hinge
13	13227001	1	Flame protector
14	13177277	1	Flame protector
15	13227008	1	Flame protector
16	60177259	1	Front flame protector
17	60177260	1	Mouth flame protector
18	60177258	1	Upper flame protector
19	52220001	1	Front cover
20	52177000	1	Burner cover
21	46200007	1	Burner Riello Press 4G




11. EJECT CLEANER, GRAIN SAMPLER, SENSOR BEARER

EJECT CLEANER, GRAIN SAMPLER, SENSOR BEARER - TABLE

Pos.	Code	Q.ty	Description
1	-	-	<i>Central tube (inside) lower section (see next table)</i>
2	60226019	1	Eject cleaner
3	13256240	1	Cleaner screen, blank H=630
3	14256234	1	Cleaner screen, 1.5mm (osr) H=630
3	14256236	1	Cleaner screen, 2.5mm (barley, wheat, oats) H=630
3	14256238	1	Cleaner screen, 4mm (optional) H=630
3	14256239	1	Cleaner screen, 5mm (optional; peas, beans) H=630
4	12256244	1	Cleaner flange
5	12405033	1	Cleaner tube
8	12226034	1	Adapter for round tube
6	60062500	1	Grain sampler
7	60062400	1	Sensor bearer
7.1	34000031	2	Air temp. sensor PT100 with silicone cable
7.2	12062405	2	Sensor tube L = 780
7.3	12062406	1	Sensor tube L = 300
7.4	09190012	3	Cable gland G ½
7.5	08160010	1	Emergency sensor with iron cable
8	07406001	1	Flexible tube d.100 L= 1,5mt for cleaner tube
9	18060004	1	Stainless Hose Clamp d.100 mm


12. INNER CENTRAL TUBE (WITH UPPER SECTION FOR ELECTRIC DISCHARGE)



INNER CENTRAL TUBE - TABLE
(WITH UPPER SECTION FOR ELECTRIC DISCHARGE)


Pos.	Code	Q.ty	Description
1	60405012	1	Central tube (inside) lower section d.450 L=3600
1.1	12115315	1	Pin for hinge locking
1.2	60115311	1	Screw for hinge locking
2*	60405015	1	Central tube upper section L=1800 without dust extraction
2.1 *	60406022	1	Central tube upper section L=2375 for H=1370 extension
	60406033		Central tube upper section L=2375 for H=1470 extension
3	60226029	1	Cap with pipe
3.1	60226040	1	Pipe for dust extraction Ø200
3.2	12060054	4	Threaded rod L=120
3.3	52270005	1	Adjustment disc internal
3'	60406013	1	Cap closed , without pipe
4	60406014	1	Pin for tipping
5	18601004	5	Split pin d.4 L=50
6	60060006	1	Hinge for upper rod of winch system
7	60063001	1	Top and lower link pins with handle
8	38050000	1	Rope for winch L=13000 d=5mm
9	38060001	5	Top link pins with chain and pin
10	28000080	5	Pulley
11	60403002	1	Upper rod of winch system
12	60403001	1	Lower rod of winch system
13	60060007	1	Connecting plaque for winch system rod
14	383020AF	1	Winch Goliath AF type 20AF
15	60403010	1	Lower support for winch system
16	38060003	1	Top and lower pins with handle, pin and chain
17	60066004	1	Auto sensor dryer full
17.1	34500002	2	Empty dryer sensor (Pizzato FR555)
18	60403003	1	Footboard for winch system
19		1	Fan assembly complete – see other table
20	60066039	1	Cyclone assembly and mounting stand – Ø200 mm
20.1	13066031	1	Cyclone cover
20.2	60066036	1	Cyclone diam. 640 mm tube d.196 mm
20.3	60066012	1	Mounting stand
21	07406002	1	Ø200 mm flexi hose L= 20mt
22	18060006	2-4	Hose Clamp for flexible tube d.200 mm
23	60066032	1	Hose support ring d. 200 mm for top rim

*: this code is invalid in the case of swivel discharge

13. SWIVEL DISCHARGE


SWIVEL DISCHARGE – TABLE

Pos	Code	Q.ty	Description
1	60405019	1	Central tube upper section L=2780
2	60405020	1	Upper central auger (swivel discharge) L=2710
3	60255500	1	Central auger support complete
4	60226011	1	Discharge valve
5	60226012	1	Ring support for the valve
6	60226023	1	Swivel discharge - chute
7	60176006	1	Rollers
8	60406015	1	Pin for chute connection
9	60406014	1	Pin for swivel discharge complete connection
10	38600004	1	Open / move / close rope d.4mm
		1	
		1	

14. DUST EXTRACTION FAN ASSEMBLY LAYOUT

DUST EXTRACTION FAN ASSEMBLY LAYOUT - TABLE

Pos	Code	Q.ty	Description
1	60066018	1	Outlet flange for direct hose connection Ø200 mm
2	60066062	1	Inlet flange for direct hose connection with air suction valve Ø200 mm
3	60066063	1	Inlet flange for direct hose connection with air suction valve end cleaner pipe connection Ø200 mm
4	60066073	1	COMPLETE fan outlet (flanged edges) Ø200 mm
4.1	60066069	1	Outlet flange with flanged edges Ø200 mm
5	60066078	1	COMPLETE fan inlet (flanged edges) with air suction valve – Ø200 mm
5.1	60066066	1	Inlet flange (flanged edge) Ø200 mm
6	60066079	1	COMPLETE fan inlet (flanged edges) with air suction valve, end cleaner pipe connection – Ø200 mm
6.1*	60066067	1	Inlet flange (flanged edge) Ø200 mm with cleaner pipe connection
7	13066056	1	Air suction valve Ø200 mm
8	60066171	1	Quick-locking hose clamp d.200 mm
9	12066086	1	Pipe-to-Hose Flange (flanged edge) d.200 mm
10	18060006	1	Stainless Hose Clamp d.200 mm
11a	32020401	1	Fan assembly LH model 400 (standard for d.200 mm) – complete with three phase motor 1.5kW - without fan inlets
11b	32020404	1	Fan assembly LH model 400 (standard for d.200 mm) – complete with single phase motor 1.5kW - without fan inlets
11.1a	43020005	1	Three phase motor 1.5kW B3 380V
11.1b	43120005	1	Single phase motor 1.5kW B3 230V
12a	32020400	1	Fan assembly RH model 400 (standard for d.200 mm) – complete with three phase motor 1.5kW - without fan inlets
12b	32020403	1	Fan assembly RH model 400 (standard for d.200 mm) – complete with single phase motor 1.5kW - without fan inlets


15. ELECTRICAL DISCHARGE AUGER UNILATERAL

ELECTRICAL DISCHARGE AUGER UNILATERAL - TABLE

Pos	Code	Q.ty	Description
1	23020208	1	UCFL 208 support
2	60226038	1	Head cap
3	60226010	1	discharge auger d.280 L=2995
4	12226012	1	outer tube d.300 mm L=2810
5	60226020 60226021	1	Discharge outlet horizontal ø450/ø300 Band fixer for discharge outlet ø450/ø300
6	12066022	1	plate motor support
7	43040005	1	electric motor 3 kW 4P B3
8	60206024	1	discharge chute for outer tube d.300 mm
9	23020208	1+1	UCFL 208 support, 1 inside + 1 outside
10	28030450	1	V-pulley SPA 450/3
11	28503020	1	taper bush 3020 (d.40)
12	26011657	3	belt SPA 1657
13	60206011	1	pulley cover
14	28531610	1	taper bush 1610 (d.28)
15	28030090	1	V-pulley SPA 90/3
16	13066028	1	Window for maintenance
17	13206034	1	Motor cover

NOTE. Standard auger parts are shown. For custom lengths and motors, check machine specifications.


16. ELECTRICAL DISCHARGE AUGER BILATERAL



ELECTRICAL DISCHARGE AUGER BILATERAL - TABLE

Pos	Code	Q.ty	Description
1	60206027	1	Secondary discharge chute for outer tube d.250 mm
2	60350064	1	Spiral support of the discharge auger d.300mm
2.1	24006206	1	Needle bearing 6206 2RS
2.2	22010062	1	Seeger d.62
2.3	22100062	1	Oil seal 62-35-10
3	60226008	1	Discharge auger Spiral d.280 L=4500
4	12226010	1	Outer tube d.300 mm L=4500
4.1	60350065	1	anchorage for rope chute support
5	60226020	1	Discharge outlet horizontal ø450/ø300
	60226021	1	Band fixer for discharge outlet ø450/ø300
6	12066022	1	Plate motor support
7	43040005	1	Electric motor 3 KW 4P B3
8	60206024	1	Discharge chute for outer tube d.300 mm
9	23020208	2	Bearing support UCFL 208
10	28030450	1	Pulley SPA 450/3
11	28503020	1	Taper bush 3020 (d.40)
12	26011657	3	Belt SPA 1657
13	60206010	1	Belt protection guard
14	28531610	1	Taper bush of motor pulley 1210 (d.28)
15	28030090	1	Motor pulley SPA 90/3
16	13066028	1	Window for maintenance
17	13206034	1	Motor cover


NOTE. Standard auger parts are shown. For custom lengths and motors, check machine specifications.

17. GEARBOX T-22A 9.262.214.10

GEARBOX T-22A 9.262.214.10 - TABLE

Pos.	Model	Q.ty	Description
1	29	1	Shaft 1"3/4 Z20
2	29	1	Plug anticondensation 3/8" G
3	29	1	Oil seal 45X100X8
4	29	1	Seeger circlip 100 UNI7437
5	29	6	Bolt UNI5931 M8X25 8,8
6	29	2	Shim 85.3x99.7
7	29	1	Bearing 6309 2RS
8	29	1	Crown wheel Z=29 M7
9	29	1	Bearing 32309
10	29	1	Plug 1/2" GAS
11	29	1	Cover T3
12	29	1	Plug 3/8"GAS
13	29	4	Bolt UNI5739 M12X25 8,8
14	29	1	Shim 40.3x51.5
15	29	1	Bearing 30308
16	29	1	Box / extension
17	29	1	Bearing 30208
18	29	1	Cover
19	29	1	Pinion shaft Z12 M7
20	29	1	Oil seal 35X80 X10
21	29	1	Shaft 1"3/8 Z6
22	29	1	Shim 44.0x30.3x2.5
23	29	1	Nut M30X1.5
24	29	1	Pin UNI1336 B4X55

18. RIELLO BURNER PRESS 4G bio – 46200007



RIELLO BURNER PRESS 4G bio – 46200007 – TABLE


N.	Code	DESCRIZIONE	DESCRIPTION	ADVISED PARTS
1	3005733	VALVOLA	NEEDLE VALVE	
2	3007077	GUARNIZIONE	SEAL	B
3	3006719	RACCORDO	CONNECTOR	C
4	3006723	RACCORDO	CONNECTOR	C
5	3007079	GUARNIZIONE	SEAL	B
6	3006038	SPILLO	PIN	
7	20034170	GUARNIZIONE	SEAL	A
8	3006787	FILTRO	FILTER	A
9	3000805	ORGANO DI TENUTA	PUMP SEAL	
10	3006752	TUBO	TUBE	
11	3007081	GUARNIZIONE	SEAL	B
12	3006786	RACCORDO	CONNECTOR	C
13	20024298	FOTORESISTENZA	P.E. CELL	A
14	3003326	VETRINO	VIEWING PORT	
15	3008408	MOTORE	MOTOR	C
16	3007164	GUARNIZIONE	SEAL	B
17				
18	3012159	TRASFORMATORE	TRANSFORMER	B
19	20031716	POMPA	PUMP	C
20	3004843	ISOLATORE	INSULATOR	A
21	3012162	COLLEGAMENTO	H.T. LEAD	A
18				
19				
24	3004842	ELETTRODO	ELECTRODE	A
25	3005490	ELETTRODO DI MASSA	EARTH ELECTRODE	A
26	3006754	TUBO	TUBE	
27	3006755	TUBO	TUBE	
28	3006714	BOBINA	COIL	B
29	3005508	GIRANTE	FAN	C
30	3004821	DISCO ELASTICO	DISC	
31	3000736	GRUPPO GIUNZIONE	DRIVE COUPLING	A
32	3005492	GRUPPO VALVOLE	VALVE ASSEMBLY	B
33	3003701	MARTINETTO	HYDRAULIC JACK	C
34	3000612	GRUPPO SERRANDA	AIR DAMPER ASSEMBLY	
35	3005521	BOCCAGLIO	BLAST TUBE	
36	3005507	ELICA	DIFFUSER DISC	A
37	3005509	IMBUTO FIAMMA	END CONE	B
38	3005744	SCHERMO	FLANGE GASKET	A
39	3005520	PORTASPRUZZO	NOZZLE HOLDER	C
40	20034084	TUBO FLESSIBILE	HOSES	A
41	3009068	RACCORDO	MAMELON	C
42				
43	3006753	TUBO	TUBE	

A: Spare parts for minimum fittings

A+B: Spare parts for basic safety fittings



A+B+C: Spare parts for extended safety fittings

19. DIESEL TANK



DIESEL TANK - TABLE

Pos	Code	Q.ty	Description
1	60258001		Fuel tank, complete
2	09060001	1	Tank plug
3	09060002	1	Discharge plug
4	09060003	1	Valve
5	12068706	1	Outward pipe (1° section)
6	09060005	1	Diesel filter complete - connection 1/2"
6.1	09060009	1	Pleated stainless steel filtering element
7	12068707	1	Outward pipe (2° section)
8	12068708	1	Return pipe
9	46200007	1	Burner RIELLO Press 4G
10	60258003	1	Tank Strap
11	07250001	1	Tank level indicator
12	09060007	1	Pressure gauge for Riello Burner
13	46200105		Burner pressure gauge KIT for 2G -bio
	46200106		Burner pressure gauge KIT for 3G -bio
	46200107		Burner pressure gauge KIT for 4G -bio



20. PIPING DIAGRAM FOR OIL BURNERS RIELLO 3G AND 4G

